# Orolia Ltd

MCMUUO	
SmartFind E5 EPIRB	82-800-004A
	82-800-003A
SmartFind G5 EPIRB	82-800-002A
	82-800-001A
SmartFind A5 EPIRB	82-803A
SmartFind A5G EPIRB	82-803-002A

Kannad Marine

Mannerda

Manual EPIRB	K82-804-003A
Automatic EPIRB	K82-804-004A
SPORT	K82-808-001A
SPORT+	K82-808-002A
Safelink SPORTPRO	K82-814-001A
	K82-814-002A
Safelink SPORTPRO+	K82-813-001A
	K82-813-002A

SIMRAD

EP50 EPIRB	82-802-004A
	82-802-003A
EG50 EPIRB	82-802-002A
	82-802-001A

SAILOR

**Emergency Contact:** 

SE406-II EPIRB	82-801-004A
	82-801-003A
SGE406-II EPIRB	82-801-002A
	82-801-001A

Manufacturer: Orolia Ltd

Silver Point, Airport Service Road, Portsmouth, UK PO3 5PB

1 00 011

USA 800 535 5053 or 800 323 3500

non-USA +44 (0) 23 92623900 or +44 (0) 7738 046584 or +44 (0) 7866 913321 or +44 (0) 7791 256182

Description: the product is a marine emergency distress beacon powered by Lithium batteries. Sealed inside the product, the batteries are in three packs each containing three small hermetically-sealed pressurised primary Lithium – Manganese Dioxide cells. Each pack has its own heat-shrunk plastic casing, and incorporates physical and electrical short-circuit protection.



#### **Use Information**

The batteries in this product have a limited service life: see label for expiry date.

The product contains no user-serviceable parts.

The product should only be disassembled by qualified service personnel.

DO NOT ATTEMPT TO RECHARGE THE BATTERIES.

#### **Hazardous Substances**

Under EC and US legislation this product is classified as a manufactured article, which does not result in exposure to any hazardous chemicals under normal conditions of use. As such the product does not require a Material Safety Data Sheet, and the following information is provided as a courtesy:

The Lithium content of each battery pack within the product is less than 2.0 g.

The cells within the product may contain the following active ingredients, by CAS number and name:

1313-13-9	Manganese Dioxide
108-32-7	Propylene Carbonate
110-71-4	1,2-Dimethoxy Ethane
7439-93-2	Lithium Metal
7791-03-9	Lithium Perchlorate
33454-82-9	Lithium Trifluoromethane Sulfonate

No chemical hazard will be posed as long as the cells remain in their sealed condition.

This information is given in good faith, and is believed to be accurate at the date of preparation. Orolia Ltd makes no warranty, either express or implied, with respect to this information, and disclaims all liability from reference on it.

## **Transport Information**

Class: 9

UN Number: UN3091

Proper Shipping Name: Lithium metal batteries contained in equipment

Packing Group:

IATA Packing Instruction for Air: 971, Section I

Packing Instruction for Road & Sea: P903
Net Quantity: 0.168kgs



## **Disposal Information**

DO NOT INCINERATE.

DO NOT DISCARD IN DOMESTIC WASTE.

At the end of the product's useful life, it is vital that the battery packs be disconnected from the main unit to prevent false alarms. False alarms cause expensive disruption to Search and Rescue services and may endanger lives as a consequence.

Instructions on battery removal can be found in the End Of Life Statement in the product User Manual. This operation should only be performed by qualified service personnel.

This product should be disposed of in a sensible and considerate manner, and in accordance with local regulations. Take it to a civil recycling facility, or contact Orolia for advice.

## **Green Passport: Ship Recycling Information**

Orolia Ltd hereby declares potentially hazardous content in some of its electronic products.

Small amounts of the following substances may be present: beryllium oxide, lithium, lead (in older products), brominated flame retardants, glass.

In keeping with European directive 2002/96/EC (Waste Electronic and Electrical Equipment) and the provisions of IMO Resolution A.962(23) (Guidelines On Ship Recycling), Orolia strongly recommends that its products, including any battery packs, be disposed of in a considerate and legal manner. Additional information, concerning the disposal of equipment can also be found in the relevant equipment User Manual, under the heading: End of Life Statement.

and the second of the second

the second second

The second of th

The second of the

and the second of the second o

and the control of th

(A) The control of the control of